

REFERENCES – Medical Care Costs

- 1.a. **The Surgeon General's Report on Physical Activity and Health (1996)**. U.S. Department of Health & Human Services, Washington, D.C.
- 2.a. **Healthy People 2010: Understanding & Improving Health. 2nd Edition**, (2000). Office of Disease Prevention and Health Promotion.
- 3.a. Goetzel, R. et al. (1998). The Association Between Ten Modifiable Risk Factors and Health Care Expenditures. **Journal of Occupational and Environmental Medicine**. 40, 10, 1-12.
- 4.a. Wasserman, J. et al. (2000). The Gender Specific Effects of Modifiable Risk Factors on Coronary Heart Disease and Related Health Care Expenditures. **Journal of Occupational and Environmental Medicine**. 42, 11, 973-985.
- 5.a. Anderson, D. et al. (2000). The Relationship Between Modifiable Health Risks and Group-Level Health Care Expenditures. **American Journal of Health Promotion**, 15, 1, 45-52.
- 6.a. Leutzinger, J. et al. (2000). Projecting Future Medical Care Costs Using Four Scenarios of Lifestyle Risk Rates. **American Journal of Health Promotion**, 15, 1, 35-44.
- 7.a. O'Hara, R. et al. (2000). The Effect of a Walking Program on Blood Pressure Responses in African-American Women. **ACSM's Health & Fitness Journal**, 4, 5, 20-24.
- 8.a. **National Blueprint: Increasing Physical Activity Among Adults Aged 50 and Older**. National Conference sponsored by The Robert Wood Johnson Foundation. Washington, D.C. October 30-31, 2000.
- 9.a. Blumenthal, J. et al (1999). Effects of Exercise Training on Older Patients with Major Depression. **Archives of Internal Medicine**, 159, 2349-2356.
10. a. Goldberg, R. et al. (1995). Lifestyle and biological factors associated with atherosclerotic disease in middle-aged men. **Archives of Internal Medicine**, 155: 686-693.
- 11.a. Kannel, W., and Larson, M. (1993). Long-term epidemiological predictions of coronary disease. **Cardiology**, 82, 137-152.
- 12.a. Kannel, W., and Wilson, P. (1995). An update on coronary risk factors. **Contemporary Issues in Cardiology**, 79:5: 951-971.
- 13.a. Levy, D. (1993). A multifactorial approach to coronary disease risk assessment.

Journal of Clinical and Experimental Hypertension, 15:6: 1077-1086.

14.a. Murabito, J. (1995). Women and cardiovascular disease: Contributions from the Framingham Heart Study. **Journal of the American Medical Association**, 50:2: 35-39.

15.a. Wilson, P. (1994). Established risk factors and coronary artery disease: The Framingham Study. **American Journal of Hypertension**, 7:7: 7-12.

16.a. Wilson, P., and Evans, J. (1993). Coronary Artery Disease Prediction. **American Journal of Hypertension**, 6:11: 309-313.

17. a. Lee, I. and Paffenbarger, R. (1998) Physical Activity and Stroke Incidence, The Harvard Alumni Health Study. **Stroke**, 29, 2049-2054.

18. a. Lee, C., Folsom, A. and Blair, S. (2003). Physical Activity and Stroke Risk. **Stroke**, 34, 2475-2480.

19.a. Fann, J. et al. (2000). Physical Activity and Subarachnoid Haemorrhage: A Population-Based Case Control. **Journal of Neurology, Neurosurgery, and Psychiatry**, 69, 6, 768-772.

20.a. Karlson, E. et al. (2003) Total Hip Replacement due to Osteoarthritis: The Importance of Age, Obesity, and Other Modifiable Risk Factors. **American Journal of Medicine**, 114, 93-98.

21.a. Feskanich, D., Willett, W., and Colditz, G. (2002) Walking and Leisure-Time Activity and Risk of Hip Fracture in Postmenopausal Women. **Journal of the American Medical Association**, 288, 18, 2300-2306.

22.a. Sinnot, P. et al. (2002) The Burden of Osteoporosis in California, 1998. **Osteoporosis International**, 13 (6), 493-500.

23.a. Giovannucci, E. et al. (1995). Alcohol Low-Methionine-Low-Folate Diets, and Risk of Colon Cancer in Men. **Journal of the National Cancer Institute**, 87: 4: 265-273.

24.a. Marchard, I, et al. (1997). Associations of Sedentary Lifestyle, Obesity, Smoking, Alcohol Use, and Diabetes with the Risk of Colorectal Cancer. **Cancer Research**, 57, 4787-4794.

25.a. Gammon, M. et al (1998). Recreational and Occupational Physical Activities and Risk of Breast Cancer. **Journal of the National Cancer Institute**, 90, 100-117.

26.a. Mezzetti, M. et al (1998). Population Attributable Risk for Breast Cancer, Diet, Nutrition, and Physical Exercise. **Journal of the National Cancer Institute**, 90, 389-394.

- 27.a. Rubin, R. et al. (1994) Health care expenditures for people with diabetes mellitus. **Journal of Clinical Endocrinology and Metabolism**. 78:809a-809f.
- 28.a. Testa, M. and Simonson, D. (1998). Health Economic Benefits and Quality of Life During Improved Glycemic Control in Patients with Type 2 Diabetes Mellitus. **Journal of the American Medical Association**, 280:17:1490-1496.
- 29.a. Diabetes and Asthma Costs, Utilization Calculated for Entire Episodes. (1998) **Data Strategies and Benchmarks**, 136-139.
- 30.a. APA Public Communication. (1999). *What You Should Know About Women and Depression*. **American Psychological Association**.
- 31.a. National Institute of Mental Health (1999). Anxiety Disorders. **National Institutes of Health**, Bethesda, MD.
- 32.a. Broocks, A. et al (1998). Comparison of Aerobic Exercise, Clomipramine, and Placebo in the Treatment of Panic Disorder. **American Journal of Psychiatry**, 155:5:603-609.
- 33.a. Seegar, M. et al. (1998). The Effect of Aerobic Exercise on Self-Esteem and Depressive and Anxiety Symptoms Among Breast Cancer Survivors. **Oncology Nursing Forum**, 25:1,107-113.
- 34.a. Forrester, B. et al (1996). Personal Health Risk Predictors of Occupational Injury Among 3,415 Municipal Employees. **Journal of Occupational & Environmental Medicine**, 38:5:515-521.
- 36.a. Bigas, S. and Battie, M. (1993). Risk Factors For Industrial Back Problems. **Seminars in Spine Surgery**, 4:1:2-11.
- 37.a. Mueller, B. et al. (1987). Factors affecting individual injury experience among petroleum drilling workers. **Journal of Occupational Medicine**, 29: 126-131.
- 38.a. Tsai, S., Bernacki, E. and Dowd, C. (1991). The Work Relationship Between Work-related and Non-work related injuries. **Journal of Community Health**, 16: 205-212.
- 39.a. Cooper, C. and Sutherland, V. (1987). Job Stress, Mental Health, and Accidents Among Off-shore Workers in the Oil and Gas Extraction Industries. **Journal of Occupational Medicine**, 29:119-125.
- 40.a. Han, T. et al. (1997), The Prevalence of Low Back Pain and Associations with Body Fatness, Fat Distribution, and Height. **International Journal of Obesity and Related Metabolic Disorders**. 21, 7, 600-607.

- 41.a. Keniston, R., Meadows, K, Meyers, L. and Nathan, P. (1992) Obesity as a Risk Factor for Slowing of Sensory Conduction of the Median Nerve in Industry. **Journal of Occupational Medicine**, 34, 4:379-383.
- 42.a. Mandelker, J. (1993). Cumulative Trauma Increases Workers' Compensation Claims. **Occupational Health & Safety**, 62: 29-32.
- 43.a. Allen, C. (1993). Weight of Evidence Links Obesity, Fitness to Carpal Tunnel Syndrome. **Occupational Safety & Health**, November, 51-52.
- 44.a. Behavioral Risk Factor Surveillance Survey (2002). **Office of Epidemiology, Division of Community Health, North Carolina Department of Health and Human Services**.
- 45.a. **Blue Cross & Blue Shield of North Carolina**, Durham, NC. 2001 Outpatient Claims and Costs.
- 46.a. **North Carolina Hospital Association**, Raleigh, NC. 2001 Inpatient Claims and Costs.
- 47.a. **Office of Statewide Health Planning and Development. Healthcare Information Division**, Patient Discharge Data, 1999, Sacramento, California.
- 48.a. **Blue Cross and Blue Shield of Michigan**, 2002 Inpatient and Outpatient Data.
- 49.a. **Actuarial Division, Budget Finance Administration, Department of Community Health, State of Michigan**, Fiscal Year 2002 data.
- 50.a. **Michigan Department of Community Health, Cardiovascular Health, Nutrition, and Physical Activity Section**, Lansing, MI., January 2001.
- 51.a. Texas Hospital Discharges for Cardiovascular Disease, January – June 1999, **Texas Health Care Information Council and Texas Council on Cardiovascular Disease and Stroke**, December 14, 2000.
- 52.a. Medicaid Charge Data, 2002. **Massachusetts Health Data Consortium, Inc.**
- 53.a. **Harvard Pilgrim Health Plan (Massachusetts)**. Outpatient claims and charges by selected ICD and DRG, 2002.
- 54.a. Behavioral Risk Factor Surveillance System (1998). **New York State Department of Health**.
- 55.a. Strategic Planning and Research Cooperative System (SPARCS) (1997). **New York State Department of Health**.

56.a. **Regence BlueShield**, 2002 Inpatient and Outpatient Claims Data for Washington State Residents.

57.a. *Hewitt Health Value Initiative, 2003*, **Hewitt Associates, Inc.**, Lincolnshire, IL. and **2003 Employer Health Benefits Survey**, **Kaiser Family Foundation**.

58.a. *From Baby Boom to Elder Boom: Providing Health Care for an Aging Population*. Washington, D.C., **Watson Wyatt Worldwide**, 1996.

59.a. *National Ambulatory Medical Care Survey: 2001 Summary*. **National Center for Health Statistics**. Advance Data No. 337, 44 pp

60.a. *Average Monthly Premiums Paid by Employees for Health Insurance by State, 2002*. **National Center for Health Statistics, Centers for Disease Control and Prevention**, Atlanta, GA.

REFERENCES - Workers' Compensation

- 1.b. **New York State Department of Labor**, *Survey of Occupational Injuries*, 1997.
- 2.b. Cashing In On Workers' Compensation, **Executive Summary (TEXAS) 2003**.
www.aabcc.org
- 3.b. *Comparison of Average Claim Costs for Back Injuries, 1986 and 1995*. **Texas Monitor**, Vol. 2, Number 1, Spring 1997. www.roc.capnet.state.tx.us
- 4.b. **Workers Compensation Research Institute**, *1999/2000 Benchmarks for Eleven (11) States*. www.wcrinet.org
- 5.b. *State Report Cards for Workers' Comp*. **Work Loss Data Institute**, February 24, 2003. www.disabilitydurations.com
- 6.b. **Workers Compensation Rating and Inspection Bureau of Massachusetts**, Boston, MA; *Losses by Injury Cause, Policy Year 1999/2000*.
- 7.b. *Quarterly Statistical Report of Injuries/Illnesses and Workers' Compensation*. Year 2000 Annual Statistical Report. **North Carolina Office of State Personnel**. Risk Control Division, Raleigh, NC
- 8.b. *Annual Health Care Costs, 1999-2001*. **Bureau of Workers' Disability Compensation, State of Michigan**, Lansing, MI.
- 9.b. **Workers' Compensation Statistical Data, 2002**. **Washington Department of Labor and Industries**.
- 10.b. Gotz, G. et al. (2000) Area Variations in California Benefit Programs and Claim Expenses. **Workers' Compensation Research Institute**.
- 11.b. Kisk, J. and Dobrila, V. (1996) *Carpal Tunnel Syndrome in Workers' Compensation: Frequency, Costs, and Claim Characteristics*. **Research Brief, Volume 3, Issue 3**, National Council on Compensation Insurance, Inc.
- 12.b. Serxner, S. et al (2001). The Impact of a Worksite Health Promotion Program on Short-term Disability Usage. **Journal of Occupational & Environmental Medicine**, 43, 1, 25-29.
- 13.b. Courtney, T. and Webster, B. (1999). Disabling Occupational Morbidity. **Journal of Occupational & Environmental Medicine**, 41, 1, 60-69.

- 14.b. Forrester, B. et al (1996). Personal Health Risk Predictors of Occupational Injury Among 3,415 Municipal Employees. **Journal of Occupational & Environmental Medicine**, 38:5:515-521.
- 15.b. Bigas, S. and Battie, M. (1993). Risk Factors For Industrial Back Problems. **Seminars in Spine Surgery**, 4:1:2-11.
- 16.b. Mueller, B. et al. (1987). Factors affecting individual injury experience among petroleum drilling workers. **Journal of Occupational Medicine**, 29: 126-131.
- 17.b. Tsai, S., Bernacki, E. and Dowd, C. (1991). The Work Relationship Between Work-related and Non-work related injuries. **Journal of Community Health**, 16: 205-212.
- 18.b. Cooper, C. and Sutherland, V. (1987). Job Stress, Mental Health, and Accidents Among Off-shore Workers in the Oil and Gas Extraction Industries. **Journal of Occupational Medicine**, 29:119-125.
- 19.b. Han, T. et al. (1997), The Prevalence of Low Back Pain and Associations with Body Fatness, Fat Distribution, and Height. **International Journal of Obesity and Related Metabolic Disorders**. 21, 7, 600-607.
- 20.b. Keniston, R., Meadows, K, Meyers, L. and Nathan, P. (1992) Obesity as a Risk Factor for Slowing of Sensory Conduction of the Median Nerve in Industry. **Journal of Occupational Medicine**, 34, 4:379-383.
- 21.b. Mandelker, J. (1993). Cumulative Trauma Increases Workers' Compensation Claims. **Occupational Health & Safety**, 62: 29-32.
- 22.b. Allen, C. (1993). Weight of Evidence Links Obesity, Fitness to Carpal Tunnel Syndrome. **Occupational Safety & Health**, November, 51-52.
- 23.b. **Official Disability Guidelines, 6th Edition, 2001**. Work Loss Data Institute, Corpus Christi, TX.

REFERENCES – Lost Productivity

- 1.c. Pronk, N. (2003) Worksite Health Promotion and Health and Productivity Management. **ACSM's Health & Fitness Journal**, 7, 3, 31-33.
- 2..c. Edington, D. (2001) A Workers' Productivity Index. **University of Michigan Health Management Research Center**, Ann Arbor, MI.
- 3.c. Burton, W. and Conti, D. (1999) The Real Measure of Productivity. **Business & Health**, 17, 11: 34-36.
- 4.c. The Economic Benefits of Regular Exercise (1996) **International Health and Racquetsports Association**, Boston, MA.
- 5.c. Lechner, L. et al. (1997). Effects of an Employee Fitness Program on Reduced Absenteeism. **Journal of Occupational and Environmental Medicine**. 39, 9: 827-831.
- 6.c. Opatz, J. (editor) **Economic Impact of Worksite Health Promotion**. Human Kinetics Publishers, Champaign, IL, 1994.
- 7.c. **2002 CCH Unscheduled Absence Survey**. CCH, Inc. Riverwoods, IL.
- 8.c. Burton, W. et al (1999) The Role of Health Risk Factors and Disease on Workers' Productivity. **Journal of Occupational & Environmental Medicine**, 41, 10, 863-877.
- 9.c. Aldana, S. and Pronk, N. (2001) Health Promotion Programs, Modifiable Health Risks, and Employee Absenteeism. **Journal of Occupational and Environmental Medicine**, 43, 1, 34-46.
- 10.c. Baun, W. et al. (1987) A Preliminary Investigation: Effect of a Corporate Fitness Program on Absenteeism and Health Care Cost. **Journal of Occupational Medicine**, 28, 1, 18-22.
- 11.c. Bertera, R. (1990). The Effects of Workplace Health Promotion on Absenteeism and Employment Costs in a Large Industrial Population. **American Journal of Public Health**, 80, 9, 1101-1105.
- 12.c. Lynch, L. et al. (1990). Impact of a Facility-Based Corporate Fitness Program on the Number of Absences From Work Due to Illness. **Journal of Occupational Medicine**, 32, 9-12.
- 13.c. Shepherd, R. (1996). Worksite Fitness and Exercise Programs: A Review of Methodology and Health Impact. **American Journal of Health Promotion**, 10, 6, 436-452.

14.c. Goetzel, R. et al (2003). The Health and Productivity Cost Burden of the Top 10 Physical and Mental Health Conditions Affecting Six Large U.S. Employers in 1999. **Journal of Occupational and Environmental Medicine.** 45, 1, 5-14.

15.c. Walter, S. et al (2003). Lost Productive Work Time Costs From Health Conditions in the United States: Results From the American Productivity Audit. **Journal of Occupational and Environmental Medicine,** 45, 12, 1234-1246.